

**Advanced Scholar Search**[Advanced Search Tips](#) | [About Google Scholar](#)**Find articles** with **all** of the wordswith the **exact phrase**with **at least one** of the words**without** the words

where my words occur

Author Return articles written bye.g., *"PJ Hayes"* or *McCarthy***Publication** Return articles published ine.g., *J Biol Chem* or *Nature***Date** Return articles published between — e.g., *1996***Subject
Areas**☒ Return articles in all subject areas.☐ Return only articles in the following subject areas:

- ☐ Biology, Life Sciences, and Environmental Science
- ☐ Business, Administration, Finance, and Economics
- ☐ Chemistry and Materials Science
- ☐ Engineering, Computer Science, and Mathematics
- ☐ Medicine, Pharmacology, and Veterinary Science
- ☐ Physics, Astronomy, and Planetary Science
- ☐ Social Sciences, Arts, and Humanities

©2008 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

-

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

☐ Search the Web ☐ Search English pages

There were no results in your selected language(s). Showing worldwide web results for "custom tag" parser client server browser trees executable "document OR object OR model" OR DOM -patent.

Scholar [All articles](#) - [Recent articles](#) Results 1 - 16 of 16 for "custom tag" parser client server browser trees executable "document OR object OR model" OR DOM -patent. (0.49 seconds)

Did you mean: "custom tag" parser client server browser *tree's* executable "document OR object OR model" OR DOM -patent

[PDF] [Internet Programming with Delphi - all 16 versions »](#)

M Cantù - 2001 - delphinperu.com

... The HTML for this **custom tag** will look like: ... instead of having to **parse** a complex string yourself ... **client** side, make the user interface interact with the XML data ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BOOK] [Designing Enterprise Applications with the J2EE Platform - all 3 versions »](#)

I Singh - 2002 - books.google.com

... 3 The **Client** Tier 51 3 . I **Client** Considerations 51 ... 54 3.3 Design Issues and Guidelines for **Browser** Clients 54 3.3. ... 64 3.4.3 Communicating with the **Server** 65 ...

[Cited by 154](#) - [Related Articles](#) - [Web Search](#)

[BOOK] [Inside Network Perimeter Security: The Definitive Guide to Firewalls, Vpns, Routers, and Intrusion ... - all 12 versions »](#)

S Northcutt - 2003 - books.google.com

... 76 Bringing Data to the **Browser** 88 Interacting ... Validating Data Received from the **Client** 572 Use ... Prefixes in Your ColdFusion Code 576 **Server**-Side Redirections in ...

[Cited by 79](#) - [Related Articles](#) - [Web Search](#)

[PDF] ["X-DATABASES"—THE INTEGRATION OF XML INTO ENTERPRISE DATABASE MANAGEMENT SYSTEMS](#)

L Davis - 2000 - its.unc.edu

... of **custom tag** sets. ... Sun's Java API for XML **Parsing**). ... Published in more "dynamic" customizable formats based on **client** and user- ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [A work flow engine for microbial genome research](#)

M Ramm, T Soddemann - Forschung und Wissenschaftliches Rechnen, 2004 - billingpreis.mpg.de

... tedious collection and interpretation ("**parsing**") of intermediate ... available libraries, a small **custom tag** library has ... as possible on the **client**-side (using ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BOOK] [WebLogic: The Definitive Guide - all 2 versions »](#)

J Mountjoy, A Chugh - 2004 - books.google.com

... application-scoped XML parsers, event-driven **parsing** using the ... and scalability needs make WebLogic **Server** a very ... provides a rich set of **client** options—it can ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

[PDF] [web Mathematica: A User Guide - all 24 versions »](#)

T Wickham-Jones - Wolfram Research Inc., pdf format, 2001 - documents.wolfram.co.jp
... notebook documents on the **server** to send to the **client**. ... webMathematica **server** returns
result to **Browser** ... it allows the use of other JSP **custom tag** libraries, and ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Java 2 Enterprise Edition Bible](#) - [all 2 versions »](#)

J Couch... - Hungry Minds, New York, 2002 - doeacc.info

... it very hard to use the XML–**parsing** APIs, or to ... has a user interface (a Web
browser/server) and a ... Pages (JSP) technology, Microsoft's Active **Server** Pages (ASP ...

[Cited by 21](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BOOK] [Core Jstl: Mastering the Jsp Standard Tag Library](#) - [all 2 versions »](#)

DM Geary - 2002 - books.google.com

... the new JSTL expression language, and **custom tag** development ... in detail in "Formatting
and **Parsing** Numbers" on ... Standard Tag Libran' (JSTL)—**server**-side Java ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[BOOK] [Secure XML: The New Syntax for Signatures and Encryption](#) - [all 2 versions »](#)

D Eastlake, K Niles - 2002 - books.google.com

... XML Documents 37 3.2.1 XML **Parsing** Process 39 3.2 ... Strength 251 10.6.4 Algorithms
and **Executable** Content Caution ... 336 14.4.3 Registration of **Server**-Generated Keys ...

[Cited by 19](#) - [Related Articles](#) - [Web Search](#)

[PDF] [Web Application Development Using Open Source and Java Technologies](#) - [all 2 versions »](#)

WA Klimke - 2001 - ians.uni-stuttgart.de

... capabilities of the **client's** Web **browser**. ... that accepts user input, queries a database,
and returns responses to the **client**. ... Web **server** with servlet engine. ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BOOK] [PHP Bible](#)

T Converse, J Park - 2002 - Wiley

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[PDF] [Monitoring Distributed Component-based Systems](#) - [all 3 versions »](#)

M Persson - Reports from MSI, 2001 - vxu.se

... methods of the targeted **object** and return the result to the sending **object**. ... approach
is that it assumes small delay time between the **client** and the **server**. ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Project Group Chairware Final Report](#)

M Aivermann, M Ernst, T Flatt, V Gruhn, U Helmig, ... - 2003 - dspace.hrz.uni-dortmund.de

... ñ It is independent of the **client's** operating system. The clients only need a web
browser ... action on documents (reading, editing etc.) is logged by the **server**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[CITATION] [User interface adaptation in dynamic web applications for mobile devices](#)

M Jakobsson - Helsinki University of Technology Department of Computer ..., 2004

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[BOOK] [Java for Coldfusion Developers](#)

E Hewitt - 2003 - books.google.com

... ColdFusion with Java 10.1 Configure ColdFusion **Server** Settings for Java 282 10.2

Using <object> 283 10.2.1 Invoking and Instantiating a Java **Object** 285 10.2 ...

[Web Search](#)

Key authors: [I Singh](#) - [S Northcutt](#) - [J Couch](#) - [D Eastlake](#) - [J Mountjoy](#)

Did you mean to search for: ["custom tag" parser client server browser *tree's* executable "document OR object OR model" OR DOM -patent](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google